DYNAMIC TESTS, PROPOSED NAVY X-BAND ANTENNA SITE WALDORF, MARYLAND


40749995



MISCELLANEOUS PAPER NO. 4-617

January 1964

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
US Department of Commerce
Springfield VA 22151



U. S. Army Engineer Waterways Experiment Station
CORPS OF ENGINEERS

Vicksburg, Mississippi

Best Available Copy

Best Available Copy

DYNAMIC TESTS, PROPOSED NAVY X-BAND ANTENNA SITE WALDORF, MARYLAND



MISCELLANEOUS PAPER NO. 4-617

January 1964

U. S. Army Engineer Waterways Experiment Station
CORPS OF ENGINEERS
Vicksburg, Mississippi

ARMY-MRC VICKSBURG, MISS.

PREFACE

The investigations described herein were requested by the Area Public Works Office (APWO), Washington, D. C., in letter 11015 (10) 32 DGS:bjt dated 22 March 1963, subject, "Dynamic Soil Tests at Site of X-Band Antenna at Waldorf, Maryland, Site for U. S. Naval Research Laboratory; request for." The field investigations were performed near Waldorf, Md., on 27 and 28 March 1963.

Engineers of the Flexible Pavement Branch, Soils Division, U. S. Army Engineer Waterways Experiment Station (WES), actively engaged in the field investigation, analysis, and report phases of this study were Messrs. A. A. Maxwell, Z. B. Fry, R. F. Ballard, Jr., J. L. Decell, and J. Fowler. The work was conducted under the general supervision of Messrs. W. J. Turnbull and W. G. Shockley, Chief and Assistant Chief, respectively, of the Soils Division. This report was prepared by Messrs. Ballard and Decell.

Col. Alex G. Sutton, Jr., CE, was Director of the WES during the conduct of this investigation and preparation of this report. Mr. J. B. Tiffany was Technical Director.

CONTENTS

	Page
	iii
一	_vii
1: PACKGROUND, PURPOSE, AND SCOPE OF STUDY	ĺ
. CE: THE INVESTIGATION	2
ipention and Description of Test Site	2
Test Methods and Computations	Ş
TESTS, AND ANALYSIS AND DISCUSSION OF RESULTS	5 .
🚉 smic Tesi	6
Vibration Tests	Ŷ:
Resonant-Frequency Tests	8
AND IV: CONCLUSIONS	ģ.
sensidices	10
· अप्रिक्षः 1=5	

SUMMARY

(新年)对中央文学中的主义中国的对话,对话的对话,对于对于国际人的对话,可以是一种的一种,可以是一种的一种,可以是一种的一种,可以是一种的一种,可以是一种的一种的

The tests described herein were conducted to obtain data pertinent to the elastic characteristics of materials underlying a proposed X-band antenna facility near Waldorf, Md. Refraction seismic tests were performed to determine the depths of subsurface interfaces and the compression wave velocities through each soil layer. Vibration tests were also conducted at the site to determine compression and shear moduli of the underlying material. The resonant frequency of the surface material was also determined.

Results of these tests indicate:

- a. Three basic layers of soil material underlie the proposed antenna location. The upper layer (0 to 3 ft) exhibited an average compression wave velocity of approximately 1100 fps, average shear wave velocity of 400 fps, and Poisson's ratio μ of 0.42. The second layer (3 to 14 ft) showed an average compression wave velocity of about 2100 fps, average shear wave velocity of 800 fps, and μ of 0.42. The third basic layer (14 to 37+ ft) had an average compression wave velocity of about 4500 fps, shear wave velocity of approximately 1170 fps, and μ of 0.46.
- b. Shear moduli increased from about 5000 psi 3 ft below the surface to approximately 32,000 psi from 14 to 37+ ft below the surface. Compression moduli for each respective depth are approximately three times the shear moduli.
- c. Resonant frequency of the surface material is approximately 20 to 24 cps.

DYNAMIC TESTS, PROPOSED NAVY X-BAND ANTENNA SITE WALDORF, MARYLAND

PART I: BACKGROUND, PURPOSE, AND SCOPE OF STUDY

1. This report describes and gives the results of dynamic tests performed at the proposed location of an X-band antenna facility near Waldorf, Md. Prior to this investigation, exploratory borings and laboratory tests had been made by Froehling and Robertson, Inc., for the Area Public Works Office and the Office of Officer in Charge of Construction Chesapeake, Washington, D. C. Therefore, the subsurface conditions, i.e. type of material present and other characteristics that can be determined by conventional laboratory tests, were known. The field investigations described herein were made to obtain data pertinent to the dynamic elastic characteristics of the materials underlying the proposed site of a high-performance radar facility. Specifically, dynamic shear and compression moduli and refraction seismic velocities were to be determined. These data are necessary for the design of foundations with high stability requirements under dynamic loads.

PART II: THE INVESTIGATION

Location and Description of Test Site

- 2. The site investigated is the former Accokeek Nike-Ajax Site A-45, located approximately 5 miles southwest of Waldorf, Md. The area consists of gently rolling terrain and is easily accessible by paved roads.
- 3. The soil at the site consists of the following successive layers: 1 to 2.5 ft of fill and topsoil, 3 to 5 ft of brown sandy clay, 4 to 3 ft of sand and gravel, 6 ft of firm, tan silty clay, and 8 to 12 ft of soft silty clay with fine sand underlain by a stiff, gray silty clay extending to a depth of 80 ft.

Test Methods and Computations

4. The primary dynamic investigations were conducted in two phases: seismic "ests and vibration tests. Each type of test was designed to reveal specific information relative to the physical properties of the soil underlying the fest site.

_dismic tests

5. Seismic tests were made to determine the compression wave velocity of the soils; this velocity is used in conjunction with other data to determine Poisson's ratio. The seismic data were collected first so that the presence of any unusual subsurface conditions would be revealed, and on the basis of this information the vibration lines could be located to the best advantage. A hammer-type seismograph was used because of its portability, accuracy, and simple and reliable operational features. In practice, a measuring tape is stretched away from a geophone which is implanted in the soil. A 9-lb sledge hammer, incorporating a switch which closes when the hammer strikes a blow, is used as the impulse source. Compression waves are produced by blows of the hammer on a steel plate placed on the ground at regular intervals along the tape. When the hammer strikes the plate, the switch on the hammer closes, setting a binary counter in operation. When the compression wave produced by the hammer blow reaches the geophone, the counter automatically stops, thus indicating the time

required for the wave to travel from the point of impact to the geophone.

6. Data are plotted in graphic form as impulse distance versus travel time. The reciprocal of the slope of the lines drawn to connect the plotted points indicates the velocity of the wave through each subsurface medium encountered. A distinct break in the slope of the line indicates that the wave has probably passed through the interface between two subsurface layers having different velocities. The depth below the surface at which the first interface occurs can be calculated using the following equation:

$$D_1 = \frac{x_1}{2} \sqrt{\frac{v_2 - v_1}{v_2 + v_1}} \tag{1}$$

where

D, = depth in feet from the surface to the first interface

X₁ = distance in feet from the origin on the abscisca of the plot of impulse time versus impulse distance to the point at which the first change in slope occurs

V₁ = compression wave velocity, in feet per second, in first layer of material encountered

V₂ = compression wave velocity, in feet per second, in second layer of material encountered.

If a second interface is encountered, its depth can be calculated using the following equation:

$$D_2 = \frac{5}{6} X_1 + \frac{X_2}{2} \sqrt{\frac{\overline{V_3 - V_2}}{\overline{V_3 + V_2}}}$$
 (2)

where

D₂ = depth in feet from the surface to the second interface

X₂ = distance in feet from the origin on the abscissa of the plot of impulse time versus impulse distance to the point at which the second change in slope occurs

V₃ = compression wave velocity, in feet per second, in third layer of material encountered

If additional interfaces occur, equations are available to determine their depth; however, since a third interface was not encountered in the soil

layer pertinent to this investigation, these equations will not be considered here.

Vibration tests

7. Vibration tests were conducted to determine both the frequency and the velocity of shear waves in the soil. The vibration tests were performed with a high-frequency electrodynamic vibrator and a low-frequency counterrotating mass vibrator, in accordance with the procedure outlined in Enterway experiment Station (WES) Miscellaneous Paper No. 4-577, A Procedure for Statemining State Moduli of Soils by Field Vibratory Techniques. That report explains in detail how wavelengths of propagated Rayleigh waves (treated as shear waves) of known frequency are used to determine the shear and compression moduli of subsurface materials.

Computation of toisson's

8. The velocity of a wave V is determined by the product of the frequency f and wavelength k. It is then employed in the following equations which describe the mathematical relation of Poisson's ratio and the compression and shear moduli.

$$\mu = \frac{1 - 2\left(\frac{v_s}{v_c}\right)^2}{2 - 2\left(\frac{v_s}{v_c}\right)}$$
(3)

where

V = shear wave velocity, fps

V = compression wave velocity, fps

μ = Poisson's ratio

$$E = 2 (1 + \mu) \rho V_s^2$$
 (4)

There

E = compression modulus, psi

 ρ = mass density of soil = $\frac{\gamma}{g}$ (where γ = wet density, 1b per cu ft, and g = acceleration due to gravity)

$$G = \frac{E}{2(1+\mu)} \tag{5}$$

Sec. 15.

G = modulus of shear elasticity, psi

9. It may be questioned whether the propagated waves are shear or carleigh waves. Richart3* cites Miller and Percy and states that in an plantic solid with a Poisson's ratio of 0.25 for the case of a single serious of vertical load on a free surface, 67 percent of the energy is its: ir ited as Rayleigh waves, 26 percent as shear waves, and only 7 perand an compression waves. While the ground does not behave in a purely startic manner, the preceding values indicate that the predominant waves will be expected to be Rayleigh (surface) waves. Jones 2 also agrees that explain waves can be expected to be predominant. However, the differences the velocities of Rayleigh and shear waves with changes in Poisentermationare so small as to be of no practical significance in connection with foundation problems; therefore, since shear wave velocities were needed for this investigation, the propagated surface waves were considered to be shear waves. The values of E and G derived from equations 4 and 5 are plotted versus the half-wavelength, and are considered to represent the plantic moduli of the material at that depth. This half-wavelength is approximately equal to the depth of penetration. Although this assumption is arbitrary, it has proved to be empirically satisfactory. 1,2

^{*} inited numbers refer to similarly numbered items in list of references at end of text.

PART III: TESTS, AND ANALYSIS AND DISCUSSION OF RESULTS

X-band entenna facility site are shown in plate 1. The proposed structure will be similar to the RAMPART facility now under construction at White Sands Missile Range, N. Mex. (described in WES MP 4-584, Nondestructive Dynamic Testing of Proposed Radar Sites, White Sands Missile Range, New Mexico). However, the X-band antenna facility will consist of only one pedestal; and while physical dimensions of the two facilities are virtually the same, the total mass of the X-band antenna facility structure will be considerably less in order to permit the structure to be designed for a natural frequency of approximately 16 cps.

Seismic Tests

- 11. Four refraction seismic traverses were run at the site. The results indicated that at least three subsurface horizons exist beneath the X-band antenna site. A composite plot of the velocity determinations obtained from the four traverse lines is shown in plate 2. An arithmetic average of the wave travel time for the four traverses was determined for each distance. Since the traverses were run in the same locality and available borings indicate almost uniform subsurface conditions, it was decided that a composite plot of seismic data would give an informative general subsurface interpretation. The three basic horizons as predicted by seismic information and confirmed by boring logs are:
 - a. O to 3 ft, brown clay, sand, and gravel
 - b. 3 to 14 ft, tan clayey sand and gravel
 - c. 14 to 37+ ft, tan and gray silty clays
- 12. The average compression wave velocity through each of the abovelisted layers is approximately 1100, 2100, and 4500 fps, respectively.

 Depth computations from seismic information indicate the interfaces to be approximately 2.7 and 14.8 ft below the surface. The average velocities obtained for the compression waves were used in computations to determine Poisson's ratio, which will be discussed later.

Vibration Tests

Three vibration traverses were run at the site. Several vibrations were tried before a satisfactory test location was found.

The attempts to position the vibrator resulted in scattered and expension mata, caused by signal interference from underground culverts and the contact would be obtained for the circular pedestal site (see plate 1).

The plot of typical velocity determinations. A composite plot of the circular pedestal site (see plate 1).

The plot of typical velocity determinations. A composite plot of the circular pedestal site (see plate 1).


The plot of typical velocity determinations. A composite plot of the circular velocity variation with depth is shown in plate 4. As is indicated in the plot, average shear wave velocity in the 0- to 3-ft horizon is a circularly 400 fps. From 3 to 14 ft, the average shear wave velocity is attracted to 50 fps, and from 14 to 37+ ft approximately 1170 fps. These there wave velocities, when used with the corresponding compressions of shear wave velocities, when used with the corresponding compressions of shear wave velocities, indicate a Poisson's ratio of 0.42, 0.42, and 0.46, continuely, for each layer.


14. Equations 4 and 5 in paragraph 8 were used to compute the comn (E) and shear (G) moduli for the materials. These values were otted versus overburden pressure and half-wavelengths. The results . .cats with all three vibration lines are shown compositely in plate 5. is data, as presented in this form without the aid of boring logs, could railly have been interpreted as indicated by the dashed line that shows a ratual increasing trend of E and G with depth. However, since borings were conliable, a more feasible interpretation could be made, as indicated 'v'the colid lines. The boring log obtained from borehole 1 (which is loand in the center of the proposed structure site) is also depicted in that . It is interesting to note that the interfaces of the basic subthe chariness are clearly indicated by the breaks in the solid line. That late show that the shear moduli increase from about 5000 psi at the 150 depth to approximately 32,000 psi from 14 to 37+ ft below the surface. The Spression moduli at corresponding depths are approximately three importher shear moduli. Although the values obtained for E and G exhibited es variation, correlation with the available borehole information, relathe in-situ material types, was considered to be very good.


REFERENCES

- Heukelom, W., and Foster, C. R., "Dynamic testing of pavements."

 Proceedings, American Society of Civil Engineers, Journal of Soil Mechanics and Foundations Division, No. SM1, Part 1, vol 86, New York, N. Y. (February 1960), pp 1-28.
- 2. Jones, R., In-Situ Measurement of the Dynamic Properties of Soil by Vibration Methods. Highway Research Board Bulletin No. 277, 1960.
- Richart, F. E., Jr., Hall, J. R., Jr., and Lysmer, J., Study of the Propagation and Dissipation of "Elastic" Wave Energy in Granular Soil. Prepared by University of Florida under Contract DA-22-079-eng-314, for U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Mississippi, September 1962.







NOTE: V= WAVE VELOCITY

\[\text{\text{\$\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\

TYPICAL VELOCITY
DETERMINATIONS FROM
VIBRATION TESTS
TRAVERSE VI

041163 X





PLATE 4



Errata Sheet

DYNAMIC TESTS, PROPOSED NAVY X-BAND ANTENNA SITE WALDORF, MARYLAND

Miscellaneous Paper No. 4-617 January 1964

The horizontal scale in plate 5 of this report should be changed from "Modulus in psi $\times 10^{-3}$ " to "Modulus in psi $\times 10^{3}$."

LEGEND

SHEAR!	COMPRESSION, G	TRAVERSE
Δ	A	VI
0	•	V2
0		V3
	INTERPRETATION OF BORING LOG.	WITH CONSIDERATION

POSSIBLE INTERPRETATION WITHOUT

BORING LOG.

SHEAR AND COMPRESSION MODULI VS DEPTH AND **OVERBURDEN PRESSURE** WITH SUBSURFACE SOILS **DESCRIPTION**

041163 Z

